

DS-KHH9530X-H **10.1-inch Screen Android Bedhead Terminal**



- 10.1-inch bedhead screen. Support two way intercom with central station by screen and handset
- Support both equipment band installation and surface installation
- Support functions of patients and health care information display
- Support reminding patients of necessary information.
- Support setting call volume, local network parameter configuration.


▪ Specification

System parameters	
Operation system	Android 10.0
ROM	4 GB
RAM	2 GB
Display parameters	
Screen size	10.1-inch
Operation method	Capacitive touch screen
Type	Colorful IPS
Resolution	1280 × 800
Audio parameters	
Audio input	Built-in omnidirectional microphone, external speaker
Audio compression standard	G.711U
Audio output	Built-in SPK
Audio compression bitrate	64 Kps
Audio quality	Noise suppression and echo cancellation
Volume adjustment	Adjustable
Network parameters	
Network protocol	TCP/IP, SIP, RTSP
Wi-Fi	/
Device interfaces	
Alarm input	4
Network interface	1*RJ45
TF card	Support TF card, up to 128 G
General	
Installation	Wall mounting
Working temperature	-10°C ~ 50°C
Working humidity	10% to 90% (no-condensing)
Dimension (W × H × D)	256mm x 165mm
Application environment	Indoor
Power consumption	≤ 8 W
Power Supply Output	12 VDC, standard PoE (LAN1)

▪ Available Model

DS-KHH9530X-H/M

▪ Dimension



Unit:mm [inch]

SCALE	1:1
-------	-----

See Far, Go Further



www.hikvision.com
support@hikvision.com

